Rural Transport Training Materials

Module 2:

Planning, Design, Appraisal and Implementation

Rural Road Economic Appraisal Methodology Session 2.3 Part 1

Presentation 2.3a





Department for International Development





The Training Modules

Module1. Policies and Strategies



Module 2. Planning, Design, Appraisal and Implementation

Module 3. Management and Financing

Module 4. Rural Mobility

Module 5. Social and Environmental Issues



Module 2. Planning, Design, Appraisal and Implementation

Session 2.1 Participatory rural planning process

Session 2.2 Design of rural transport infrastructure



Session 2.3 Rural road economic appraisal methodology

Session 2.4 Labour-based works methodology

Session 2.5 Small scale contractor development

Session 2.6 Community Participation in Rural Transport Infrastructure

Session 2.7 Participatory Survey Techniques for Rural Transport



1. Introduction

Learning Objectives

This session enables participants to:

- Explore the role of economic appraisal methods to establish priorities for RTI interventions
- Describe how to carry out screening and ranking using a variety of methods
 - targeting poor communities and eliminating low priority links from consideration for investment
 - multi-criteria analysis (MCA), cost-effectiveness analysis (CEA), cost-benefit analysis (CBA)
- Explain how to extend the CBA framework for RTI



Session Overview

- Rationale for economic appraisal
- Participatory Planning Approach
- Screening
- Ranking
- Extending the CBA framework for RTI



2. Rationale for economic appraisal

- The provision of motorable basic access roads (below 50 VPD) is constrained by
 - available resources maintenance & capital budgets
- Affordability depends on:
 - local population's capacity to maintain their own basic access infrastructure over the long-term
- Determining affordability depends on the complex relationship between
 - local capacity, available skills, income levels, population density, geographic conditions, and political will



Appraising RTI: Basic Access approach

A basic access intervention is the **least-cost** (total life-cycle cost) intervention for ensuring **reliable**, **all-season passability** for the locally prevailing means of transport.

Project appraisal of a planned Basic Access intervention is the analysis & assessment of these issues:





Basic Access approach recognises

- Solution State State
- **Their participation is essential**
 - in preparation and implementation of investment programmes
 - enhances local ownership and commitment
 - fosters better accountability and management
 - greater sustainability



Appraisal Methods

an overview

- 1. Participatory Planning Approach
- 2. Screening
- 3. Ranking
 - A. Multi-criteria analysis (MCA)
 - B. Cost-effectiveness analysis (CEA)
 - C. Cost-benefit analysis (CBA)
- 4. Extending the CBA Framework for RTI



3. Participatory Planning Approach

Decentralised framework for the provision of local services calls for a participatory RTI process

- Start with consultations at community and local government level
- Iterative and simultaneous 'bottom-up' and 'topdown' approaches



A key tool is the 'as is' plan

A local government/community transport plan

- local engineers or consultants and communities, conduct a low-cost inventory and condition survey of the local transport network
- plus economic, social and demographic information
- Stakeholders can cooperatively decide upon desired improvements to the RTI network
 - taking into account objectives and available resources

But! Participation cannot replace the economic selection process, due to: 'wish list' phenomenon and available resources



4. Screening

Screening decreases the number of investment alternatives given budgetary constraints which may involve:

Targeting poor and disadvantaged communities

Eliminating low priority links of the network



Targeting poor and disadvantaged communities

Has been adapted for the selection of districts, communities, and municipalities on the basis of poverty criteria

- economic standing and potential
- social development (literacy and health statistics)

🎯 China

- 1st stage: poverty-based pre-screening was used to identify 'priority counties'
- 2nd and 3rd stage screening process to identify specific road sections and corresponding design standards



China: Road Improvement for Poverty Alleviation (RIPA)

1st stage – 'priority counties' criteria:

- average income per capita
- number of the 'very poor' per 10,000 population
- value of agriculture production
- value of mineral production
- social development indicators (literacy rate, health workers per thousand population, access to clean drinking water)
- 2nd stage cost effectiveness criteria:
 - continuity of the system
 - maximisation of the population served
 - connectivity to as many settlements as possible
 - then the proposed investment cost is divided by population served



China: Road Improvement for Poverty Alleviation (RIPA)

3rd stage:

- analysis of the economic and social benefits of road systems being considered
- review of motorisation trends
 - ... to guide the selection of proper road class and road engineering design that would meet the future needs of motorised and non-motorised traffic



Eliminating low priority links of the network

Elimination based on agreed criteriaIndia, Andhra Pradesh

- each village would have only one link (the shortest one) upgraded to basic access standard
- this reduced the road network that was considered for interventions
 - ➤ ... from about 5000 km. to 3000 km. per district





Poverty based screening

Group Activity

Based on the experiences from China: what are the advantages and potential problems with poverty-based pre-screening?



Activity Sheet 22

5. Ranking Methods

Multi-criteria analysis (MCA)

Cost-effectiveness analysis (CEA)

Cost-benefit analysis (CBA)



Multi-criteria analysis (MCA)

- Criteria: based on their perceived importance, weights (points) given to:
 - traffic level
 - proximity to health and educational facilities
 - agricultural assets receive weights (points).
- Seach road link is allocated the number of points corresponding to the fulfilment of the particular criteria
- The sum of the points provides a rank for each investment option



MCA – what potential as a *participatory* planning method?

For MCA to be a participatory planning method, the weights and points must be allocated in a **participatory & transparent** way – indicators are both economic and subjective!

But!

- MCA tends to be applied by consultants or planners in isolation without consultation with stakeholders
- The outcome of the MCA methodology is often:
 - non-transparent
 - especially if too many factors are considered and a complicated formula applied



Cost-effectiveness analysis (CEA)

A subset of the MCA

- CEA compares the cost of interventions with their intended impacts
- Widely used to appraise investments in the social sector, less so in transport
- Justification for use in transport sector
 - increased focus on the poverty and social impacts of transport investments



When is CEA used?

- Operational policies of the World Bank allow the use of CEA where:
 - benefits cannot be measured in monetary terms or
 - where measurement is difficult
- Conditions for use of CEA:
 - objectives of the intervention clearly stated and are part of a wider programme of objectives (e.g. poverty alleviation)
 - the intervention represents the least-cost way of attaining the stated objectives



Rural Roads Component of the Andhra Pradesh Economic Restructuring Project

CEA used to rank individual links of a 'core network' selected on the basis of screening criteria

Cost-effectiveness indicator of link

Cost of upgrading of link to basic access standard

Population served by link



CFA





Ranking based on CEA*** *** core network divided into 700 links

Ranking based on CBA****

Roads where traf fic is sufficient to get an ERR above 12%



selected for upgrading to basic access standard out of which

> 1.000 km selected for upgrading to bituminised standard

he**IDL**group@j

training

Thresholds for Cost-Effectiveness (CEA)

There are none!

- With CBA projects are deemed 'uneconomic' when their ERR (economic rate of return) falls below 10% - 12%
- For CEA the criteria for determining 'opportunity cost' thresholds when ranking on the basis of cost-effectiveness
 - is left to policy makers



Sample Study to Indicate Economic Viability

- Use cost-benefit analysis (CBA) to complement the CEA method
 - sample study based on 1 or 2 roads project area
- If the sample study establishes that
 - a per-capita threshold of investment meets the prescribed economic rate of return for the sample link

... then all links above the threshold are likely to be viable

This approach provides a good economic basis for applying the CEA method to a broad RTI investment programme



Cost-benefit analysis (CBA)

Accounting of all the real costs and benefits associated with a (road) project:

- users and non-users
- the road agency

Where the impact on non-users is negligible, a CBA of road alternatives focuses on:

- trade-offs between total life-cycle costs of infrastructure (capital and maintenance), and
- user costs and benefits (operating cost of the primarily vehicle and time savings)



CBA

The outcome of CBA permits ranking of

- alternative interventions on a particular link based on the net present value (NPV)
- If there are several different but independent links (and there is a fixed capital budget), base the ranking on:
 - the net present value per financial investment outlay ratio (NPV/INV), or
 - net present value per kilometre (NPV/KM)
 - Image: Image: Image: Second Second





The benefit from cost savings for transport users can be considered as an increase in Producer Surplus Methods Consumer **Surplus Methods**



Producer Surplus Methods

Transport cost reductions lower producers' input and output costs

- result in higher net income for producers
- Assumptions made on:
 - impact of transport investments on local agricultural productivity and output
 - ... which are difficult to assess, particularly where interventions are expected to open up new areas
 - ... and adequate production data may be difficult to compile

Application of the method reduced in recent years:

- RTI investments are increasingly focused on existing networks
- put more emphasis on social rather than economic objectives



Consumer Surplus Methods

 Benefits result if savings accrue to the users as a reduction in transport costs or charges.
 Reliable for higher-volume roads (>200 VPD)
 But! application to low-volume roads has problems:

- small magnitude of user benefits
- stronger influence of the *environment* rather than traffic on infrastructure deterioration
- If traffic levels 50 200 VPD
 - a customised approach can be used Roads Economic Decision Model (RED)



Roads Economic Decision Model (RED) a consumer surplus model

- Implemented in a series of Excel workbooks that
 - estimate vehicle operating costs and speeds
 - perform economic comparisons of investment and maintenance options, switching values and statistical risk analysis
- RED simplifies the economic evaluation process



RED addresses concerns related to low-volume roads:

- a) reduces the input requirements
- b) takes into account the higher uncertainty related to the inputs
- c) computes internally generated traffic
 - based on a defined price elasticity of demand to which induced traffic can also be added
- d) quantifies the economic costs associated with the days-per-year
 - when the passage of vehicles is further disrupted by a highly deteriorated road condition



- e) optionally, uses vehicle speeds as a surrogate parameter to road roughness to define the level of service of low-volume roads
- f) includes road safety benefits
- g) includes in the analysis other benefits (or costs)
 - e.g. those related to non-motorised traffic, social service delivery, and environmental impacts, if they are computed separately
- h) presents the results with the capacity for sensitivity, switching values and statistical risk analyses



RED

can be downloaded free of charge at

http://www.worldbank.org/html/fpd/transport/ roads/tools.htm



But! for traffic levels below 50 VPD ...

The consumer surplus approach is NOT recommended, because:

 main benefits are <u>not</u> from savings in motor vehicle operating costs, but

relate to the provision of access itself

 the benefits of access are difficult to quantify
 > traffic typically constitutes non-motorised vehicles, animal transport, walking and headloading

This calls for special adaptations & extensions to the traditional CBA



6. Extending the CBA Framework for RTI and low-volume roads

Principles of CBA remain the same

Methods of analysis are modified to account for the special features of RTI

The modified methods can be used for

- 'pilot' or 'sample' CBA to supplement CEA
- a low-volume road that presents a major investment
- a new access option to a given area
- a proposed upgrading to a higher than basic access level



Enhancements of CBA include:

- A. Better assessment of the cost of interrupted access
- B. Estimating operating cost savings of NMT
- C. Savings due to mode changes (from NMT to motorised transport)
- D. Improved valuation of time savings
- E. Valuation of social benefits from improved access to schools and health centres



A. Better assessment of the cost of interrupted access

Passability during the rainy season

- Seasonal changes in transport quality
 - local socio-economic impact e.g. higher goods prices, lost productivity, or decreased social travel
 - impact on particular activities

agriculture, marketing, travel for jobs & related wage earnings, school attendance & consequent decline in quality of education, health visits, etc

- Collect information through a local survey/ other participatory processes
- Examine the costs associated with
 - alternative (longer) routes (increase transport cost and time)
 - substitutes for transport (migration, storage)
 - lost opportunities and income



B. Estimating operating cost savings of NMT

A recent addition to project evaluations

Rickshaw operators in Bangladesh

- provide an example of how to estimate operating costs
- the links between road surfaces and operating costs
- justification for investment in black-topping roads



Assessing the cost of interrupted access



Group Activity

Using the case of rickshaw operators in Bangladesh:

- A. Explain the rationale for road investment in blacktopping (asphalt) even though the VPD is less than 50.
- B. What are the true operating costs for rickshaw operators?
- C. How are with- and without-project costs best estimated? Why?



Bangladesh rickshaw operators

For project analysis, use

Charges made by the rickshaw-van operators on different types of road conditions

- reflect the true cost variations
 - Greater exertion, time, additional food for higher level of effort & energy needed for rougher roads (fares can be 2x)

Human pulled vehicles need smooth surfaces even more than motor vehicles

 road investments in black-topping could be justified when heavy NMT traffic exists

➢ even if VPD 50 per day



C. Savings due to mode changes from NMT to motorised transport

Cost reduction can be **ten** fold

Studies in Ghana & elsewhere:

- Head porterage takes 2 person-days to move 1 ton/km., using
 - average load size, walking speed per hour, & time for the return trip (without load)
 - minimum wage rate of \$2.00 \$2.50/ton/km. (= proxy for the resource costs and time & effort)
 - reflects actual market charges for such operations
 - but not productive time lost

Studies in Balochistan (Pakistan), Nepal, Bhutan: using mules

- actual cost is \$ 3-4/ton/km.
 - compared to \$0.20/ton/km. for truck operating costs on lowvolume roads (after road construction or improvement)



D. Improved valuation of time savings

It is critical to understand the impact of improvements in infrastructure on

- journey times
 - ➤ and therefore on productive time saved

Including those associated with NMT and transit time of freight

- Valuing time in transport operations is controversial!
- Currently no universally accepted methods for determining a 'value of time'
 - but some general guidance



Valuing 'Journey Time Saving'

Investigations have focused on:

Conventional journeys of people by road

- reflects traditional arguments of transport economics
- the use of resource assessments of value, or inferring resource values from the behaviour of travellers
- ignored trips on foot and by other NMT



The problem with conventional investigations



These categories are appropriate to the economic & social structures of *developed* countries

- not rural household members who are:
 - predominantly self-employed
 - engaged in multi-purpose/ simultaneous task trips
 > especially women often the dominant transporters at the household level



Another problem ...

Sector Assumption by most transport economics literature

- majority of the rural population are in non-wage employment
- considered to be travelling in non-working time
 > so ascribed a zero value
- This does not make sense!
 - in resource or behavioural terms

Walking journeys consume energy and time

- valuable resources in rural subsistence households
- the behaviour of such societies indicates that they place a relatively high value on their time



Key points when collecting data on the value of time ...

- Setimate values which can be applied to particular modes of travel
 - bus versus bicycle travel
- Stated time values can change with
 - overall journey length
 - income level

Time required for walking, waiting, or transfer

- valued differently than specific travel time (on or in vehicles)
- should be reported separately where possible
- if not possible to obtain local values for travel time



The valuation of time savings from transport improvements in developing countries

Where it is not possible to derive values locally, use the following bases: W = wage rate per hour; H =household income per hour

Trip Purpose	Rule	Value
Work trip	Cost to employer	1.33 w
Business	Cost to employer	1.33 w
Commuting and Other non-work	Empirically Observed value	0.3 H (adult) 0.15 H (child)
Walking/waiting	Empirically Observed value	1.5 x value for trip Purpose
Freight/ PublicTransport	Resource cost Approach	Vehicle time cost+ driver age cost+ occupants time
Source: Gwilliam 1997		



training

E. Valuation of social benefits from improved access to schools and health centres

- It is often argued that the most important impacts of rural infrastructure improvements are:
 - changes in the pattern of personal mobility
 - increased social travel
- Improved rural access provides:



A study in Bangladesh ...

Villages with road access, compared with villages without access, fared better:

- farm-gate price of produce
- fertiliser use
- Iand under irrigation
- household income
- income per acre of field crops
- wage income of landless labour
- percentage of employed women



Access, Income, and Education in Bhutan

	'Accessible'(0-0.5 days walk to nearest road)	'Not accessible' (1-3 days walk to nearest road)
Distance to nearest road (walking time)	0-0.5	1-3
Average annual income/farm household	\$176 equivalent	\$71 equivalent
Enrolment of boys (age 6-16)	73%	42%
Enrolment of girls (age 6-16)	64%	22%



A common approach for quantifying social benefits

Solution Use a sample case as guidance for

- assessing similar benefits from other road improvements (ie. access to health and education) in similar areas or regions in the same country
- usual transport cost savings can be estimated separately
- Solution Care must be taken to ensure that there is no double-counting of benefits in the process



For example in the Bhutan case study

Section benefits were estimated from

- increased school enrolment levels (due to improved access)
- using estimates of the incremental life earnings of the children who would have otherwise remained unskilled

Health benefits were assessed based on

- reduced sick days away from work
- Iost net income
- other health savings from better access to health centres

Approach involves considerable field data collection & analysis



Other important approaches for assessment of benefits from rural road access improvements:

- estimation of mule-haulage costs in the withoutproject situation
- use of a 40-year life assumption for the road
 - ... defined as a well-designed and erosionprotected mountain road with a gravel surface and expected good maintenance



Concluding Remarks

Priorities of an RTI intervention requires a selection process consisting of a combination of screening and ranking

Screening

- targeting of disadvantaged communities based on poverty indexes
- or by eliminating low-priority links from the list according to agreed-on criteria

Ranking

- multi-criteria analysis (MCA)
- cost-effectiveness analysis (CEA)
- cost-benefit analysis (CBA)



Concluding Remarks

MCA 🚳

- only recommended if cost criteria are included
- ... and if the criteria are few, relevant, and have been determined in a participatory way
- © CEA
 - determine threshold value using sample CBA on selected links

© CBA

- use standard if VPD 50 200
- If VPD <50 use Roads Economic Decision Model (RED)

